Declaration of Performance





DoP Number: GR-2071-003

1 Unique identification code of the product-type:

MW-EN 13162-T6-WS-WL(P)-MU1-CP3-AW0,95-AFr60

 $2\ \ Identification\ of\ the\ construction\ product\ as\ required\ under\ Article\ 11(4)\ of\ the\ regulation\ n^{\circ}\ 305/2011/EU:$

Thermal Insulation of Building (ThIB)

3 Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the

 $4\ Name, registered\ trade\ name\ or\ registered\ trade\ mark\ and\ contact\ address\ of\ the\ manufacturer\ as\ required\ under\ Article\ 11(5)\ of\ the\ regulation\ n^{\circ}$ 305/2011/EU:

FIBRAN S.A. 56410, Thessaloniki, Greece

5 Name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2) of the regulation n° 305/2011/EU:

Not applicable

 $6\ \ System\ or\ systems\ of\ assessment\ and\ verification\ of\ constancy\ of\ performance\ of\ the\ construction\ product\ as\ set\ out\ in\ Annex\ V\ of\ the\ Regulation\ n^\circ$ 305/2011/EU:

AVCP - System 1 - System 3

7 Notified Certification bodies FIW (Forschunginstitut für Wärmeschutz e.v München) N° 0751 and MPA (Materialprüfanstalt fün das Bauwesen $Hannover) \ N^{\circ} \ 0764 \ performed, carried out the determination of the product type, the initial inspection of the manufacturing plant and of factory type and the product type in t$ production control and the continuous surveillance, assessment and evaluation of factory production control and issued the certificate of constancy of performance for reaction to fire.

0751-CPR-223.0-01

FIBRANgeo B-571-YM

8 Declared performance according to harmonized standard:

EN 13162:2012+A1:2015

Essential characteristics	Performance	Abbreviation	Unit	Declared performance		
Reaction to fire	Reaction to fire	RtF	Euroclass	A1		
Realease of dangerous substances	Realease of dangerous substances			NPD		
Acoustic absorption index	Sound absorption	AW	-	0,95		
	Dynamic stiffness	SD	MN/m³	NPD		
	Thickness	d _L	mm	NPD		
Impact noise transmission index	Compressibility	CP	mm	3		
	Air flow resistivity	AFr	kPa.s/m²	60		
Direct airborne sound insulation index	Air flow resistivity	AFr	kPa.s/m²	60		
Continous glowing combustion	Continous glowing combustion			NPD		
	Thermal resistance	R _D	m² K/W	see below table		
Thermal resistance	Thermal conductivity	λ_{D}	W/m K	0,035		
Thermal resistance	Thickness	d _N	mm	20-300		
	Thickness class	T	Class	T6		
	Short term water absorption	WS	kg/m²	<1		
Water permeability	Long term water absorption	WL(P)	kg/m²	<3		
		MU	-	1		
Water vapour permeability	Water vapour transmission	Z	m2hPa/mg	NPD		
	Compressive stress	CS(10)	kPa	NPD		
Compressive strength	Point Load	PL(5)	N	NPD		
Durability of reaction to fire against heat, weathering, ageing/degradation	Reaction to fire	RtF	Euroclass	A1		
e tille til i till i ti	Thermal resistance	R _D	m² K/W	see below table		
Durability of thermal resistance against heat, weathering,	Thermal conductivity	λ _D	W/m K	0,035		
ageing/degradation	Durability characteristics	DS (70,90)	%	NPD		
Tensile/Flexural strength	Tensile strength perpendicular to faces	TR	kPa	NPD		
Durability of compressive strength against heat, weathering, ageing/degradation	Compressive creep	CC(i ₁ /i ₂ /y) σ _c	mm	NPD		
NPD: No Performance Determined	1			ı		

9 The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

Thickness	d _N (mm)	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	180	200
Thermal resistance	$R_D (m^2 K/W)$	0,55	0,85	1,10	1,40	1,70	2,00	2,25	2,55	2,85	3,10	3,40	3,70	4,00	4,25	4,55	5,10	5,70

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Name: Dr. Chadiarakou Stella Quality Assurance Manager Function:

Place: Thessaloniki 20/3/2020 Date: Signature: